



**Jiangsu BBL Home Technology Company Limited**

Address: NO.10 Changhong East Road ,Henglin Town,Wujin District,  
Changzhou, JS213101,CHINA

Tel: 86-519-68861223

Fax: 86-519-68863336

E-mail: vip@bblfloor.com

www.bblflooring

**BBL**  
build better life

**ENGINEERED  
HARDWOOD FLOORING**

GREAT NATURE

ATEASE

THE QUALITY OF DELICATE






# CONTENTS



ENGINEERED HARDWOOD FLOORING  
BUILD BETTER LIFE



01  
PLYWOOD



02  
WSPC



03  
HDF+WOOD



04  
HERRINGBONE



05  
CHEVRON



06  
GLAZE FINISH




07  
PARQUET





## 01 PLYWOOD



Engineered flooring lets you bring the beauty and warmth of hardwood into all areas of your home. It looks like solid hardwood because it is! But underneath, it's "engineered" to allow the wood to naturally contract and expand. That means it can be installed virtually everywhere, even in high-moisture areas like basements and over concrete!






## PLYWOOD FLOORS



## PLYWOOD FLOORS


### OAK ESSENTIAL

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG



### OAK OAKDALE 75

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG








# PLYWOOD FLOORS



# PLYWOOD FLOORS


## OAK CARBONOAK

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG



## OAK GRANDOAK

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG








**OAK  
NATURAL**

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG



**OAK  
BROCK**

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG







# PLYWOOD FLOORS

BARCELONA



# PLYWOOD FLOORS

SPRING SNOW

OAK

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG



FAIRYLAND

OAK

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG



19104





**OAK**  
 Construction: Plywood Core  
 Surface: Brushed  
 Grade: ABCD  
 Profile: TG



**OAK**  
 Construction: Plywood Core  
 Surface: Brushed  
 Grade: ABCD  
 Profile: TG








OAK

Construction: Plywood Core  
Surface: Brushed  
Grade: ABCD  
Profile: TG



EO-001



EO-004







W2



W4



W5



W7



OAK





# PLYWOOD FLOORS



# PLYWOOD FLOORS

## HICKORY NATURAL

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



## HICKORY STALLION

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG








PLYWOOD  
FLOORS



PLYWOOD  
FLOORS

**HICKORY**  
**MOROCCAN SAND**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



**HICKORY**  
**FOREST**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG








**HICKORY**  
**CALIFORNIA QUAIL**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



**HICKORY**  
**DARK MOCHA**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG








## PLYWOOD FLOORS



## PLYWOOD FLOORS


### HICKORY CINNAMON BROWN

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



### HICKORY CINNAMON BROWN 75

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG







## PLYWOOD FLOORS



## PLYWOOD FLOORS

### HICKORY NIMBUS CLOUD

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



### HICKORY SMOKE HOUSE

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG








**HICKORY**  
**URBAN GREY**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



**HICKORY**  
**WOLF GREY**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG







**HICKORY**  
**WILD GREY**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



**HICKORY**  
**MOROCCAN SAND 75**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG







## PLYWOOD FLOORS



## PLYWOOD FLOORS


### HICKORY FOREST 75

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



### HICKORY DARK MOCHA 75

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG







# PLYWOOD FLOORS

**HICKORY**  
**MERCEN CHARCOAL**

Construction: Plywood Core  
Surface: Handscraped  
Grade: ABCD  
Profile: TG



# HICKORY





# PLYWOOD FLOORS



# PLYWOOD FLOORS

## WALNUT NATURAL WALNUT

Construction: Plywood Core  
Surface: Smooth  
Grade: ABC  
Profile: Valinge Click



## TEAK NATURAL TEAK

Construction: Plywood Core  
Surface: Smooth  
Grade: ABCD  
Profile: Valinge Click








**100%  
WATERPROOF  
HARDWOOD**  
REAL HARDWOOD. ZERO WORRIES  
YOU CAN ACTUALLY LIVE ON

## 02 WSPC



### *Simplex wood flooring -rigid core with wood veneer*

This product has eight advantages over previous traditional engineered hardwood flooring.

To make up for the shortcomings of the past product.

As two-layer engineered hardwood flooring, it can avoid ADD and CVD for the USA market.

| Advantages   | Wood | Standard Engineered Wood |
|--|------|--------------------------|
| Real wood veneer with natural looking              | √    | √                        |
| Good foot sense                                    | √    | √                        |
| Can be wet mopped=easy-to-clean                    | √    | ×                        |
| Stable to high temperature and humidity variations | √    | ×                        |
| Suitable for Every Room                            | √    | √                        |
| Impact Resistant & indentation                     | √    | √                        |
| No acclimation required                            | √    | ×                        |
| Minimum Preparations                               | √    | ×                        |





WSPC  
FLOORS

**OAK**  
**NATURAL**

400-1200X125X7/1.2mm  
Grade: ABCD  
Construction: SPC+veneer  
Cutting: Slice  
Wire Brushed  
Installation: Valinge 2G



**GOLDEN OAK**



**VANILLA OAK**




**GLACIER OAK**



**FOREST OAK**








### ANTIQUE OAK

400-1200X125X7/1.2mm  
Grade: ABCD  
Construction: SPC+veneer  
Cutting: Slice  
Wire Brushed  
Installation: Valinge 2G



### CLASSIC WALNUT

400-1200X125X7/1.2mm  
Grade: ABCD  
Construction: SPC+veneer  
Cutting: Slice  
Smooth  
Installation: Valinge 2G



# WSPC FLOORS



## 03 HDF+WOOD



It has beautiful patterns and its discreet and pristine character make it very precious.

It is made into wide boards and large boards and it has several knots, Simple HDF structure combined with rustic veneer, bringing more real feelings.







# HDF+WOOD FLOORS

**OAK**  
**EO 331 HDF**

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock



# HDF+WOOD FLOORS

**OAK**  
**EO 332 HDF**

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock








## HDF+WOOD FLOORS

**OAK**  
**EO 0333 HDF**

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock



## HDF+WOOD FLOORS

**OAK**  
**EO 334 HDF**

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock








## HDF+WOOD FLOORS

**OAK**  
**EO 335 HDF**

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock



## HDF+WOOD FLOORS

**OAK**  
**EO 336 HDF**

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock








# HDF+WOOD FLOORS

OAK

EO 337 HDF

400-1200x125x9/1.2mm  
Grade: ABCD  
Cutting: Slice  
Wire Brushed  
Valinge Drop Lock




# HDF+WOOD FLOORS






**NATURAL OAK**




**GELATO OAK**



**STEEL GREY OAK**



**MOCHA OAK**



## HDF+WOOD FLOORS

400-1200X127X12/1.2mm

Grade: ABCD

Cutting: Slice

Wire Brushed

Valinge Drop Lock



# 04

## HERRINGBONE

Herringbone is a very popular pattern. It got its name from its resemblance to the pattern of bones of a herring, and is very similar to the chevron pattern.

More and more people are opting for engineered herringbone flooring, moving away from the traditional solid blocks.

This type of flooring is an excellent choice for those wanting to decorate their homes on a budget, but still achieve that luxurious finished effect. Engineered is typically more cost effective than solid blocks, and there's also labour to take into consideration too.

There's a wide variety of choices of colour from deep, rich, chocolatey colours to light oaks and even greys, there's an option to suit all styles of home, and all preferences.



RZ607






# HERRINGBONE FLOORS

**OAK**  
**NATURAL**


450x75x15/1.2mm  
Grade: ABCD  
Plywood Core/HDF Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG



# HERRINGBONE FLOORS

**OAK**  
**GLACIER**

450x75x15/1.2mm  
Grade: ABCD  
Plywood Core/HDF Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG








# HERRINGBONE FLOORS



# HERRINGBONE FLOORS


## OAK FOREST 209

450x75x15/1.2mm  
Grade: ABCD  
Plywood Core/HDF Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG



## OAK CARBONISED

600x120x15/1.2mm  
Grade: ABC  
Plywood Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG





# HERRINGBONE FLOORS




# HERRINGBONE FLOORS




## WALNUT NATURAL

600x120x15/1.2mm  
Grade: ABC  
Plywood Core  
Cutting: Slice  
Smooth  
Installation: TG



## OAK CARAMEL

600x120x15/1.2mm  
Grade: ABC  
Plywood Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG







## HERRINGBONE FLOORS

**OAK**  
**NATURAL**

600x120x15/1.2mm  
Grade: ABC  
Plywood Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG



## HERRINGBONE FLOORS

**OAK**  
**ENGLISH GREY DRIFT**

600x120x15/1.2mm  
Grade: ABC  
Plywood Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG








## HERRINGBONE FLOORS

**TEAK**  
**NATURAL**


450x75x15/2mm  
Grade: ABCD  
Plywood Core  
Cutting: Slice  
Smooth  
Installation: TG



## HERRINGBONE FLOORS

**WALNUT**  
**NATURAL**

450x75x15/2mm  
Grade: ABC  
Plywood Core  
Cutting: Slice  
Smooth  
Installation: TG







## 05 CHEVRON

Chevron flooring pattern originated in 17th century France, where it quickly became one of the most preferred types of floors in the palaces of the kings and nobility alike. The main difference between chevron and herringbone patterns is that the chevron planks are cut to ensure that each “zig” and “zag” are connected at a 45 degree angle.

In recent times, these beautiful chevrons floors are being installed across the UK and many other parts of the world. If you ever read the latest fashions magazines, you would have noticed the chevron floorings feature in many fashion shoot.

With the veneer of European Oak or Walnut, it looks simple and noble.

It not only ensures the beauty, but also maintains the hardness and wear-resistance of these species themselves.






# CHEVRON FLOORS



# CHEVRON FLOORS


**OAK**  
**NATURAL**

510x90x15/2mm  
Grade: ABC  
Plywood Core/HDF Core  
Cutting: Slice  
Wire Brushed/Smooth  
Installation: TG




**WALNUT**  
**NATURAL**


510x90x15/2mm  
Grade: ABC  
Plywood Core/HDF Core  
Cutting: Slice  
Smooth  
Installation: TG









OAK  
W2



OAK  
W4



OAK  
W5



OAK  
W7



## CHEVRON FLOORS

510x90x15mm

Grade: AB/ABC/ABCD

Plywood Core/HDF Core

Cutting: Slice

Wire Brushed/Smooth

Installation: TG





06

## GLAZE FINISH

Waterborn Glaze cured finish is a newly launched technologies, which captures not only the organic, realistic look and feel, but the unparalleled colorfast function.

It permeates into the wood grain with carefully applied staining by hand, adjusting the different color tunes which make the flooring more vertical and realistic, especially for the hand craft surface treatment.

Waterborne Glaze cured finish function better in resistance of color to fading or running, resulting in the best durability and color protection.

Style, aesthetic, performance: Engineered hardwood flooring at its finest.






OAK  
GO-101



OAK  
GO-102



OAK  
GO-103



OAK  
GO-104



OAK  
GO-105



OAK  
GO-106



HICKORY  
GH-101



HICKORY  
GH-102







**HICKORY**

**GH-103**



**HICKORY**

**GH-104**



**HICKORY**

**GH-105**



**HICKORY**

**GH-106**



## GLAZE FLOORS

Species: Oak/Hickory  
Grade: ABCD  
Plywood Core/HDF Core  
Brushed/Handscraped





07

## PARQUET FLOOR

BBL's Parquet Wood Flooring bring decorative geometric designs to life. Intricate patterns add an upscale designer's touch to any space.

Designed to modularly integrate with engineered wood flooring, mix and match with plank flooring to design borders, inlays, or entire parquet room designs. The options are limited only by your imagination.

Species: Oak, Hickory, Maple, Walnut, Elm, Sapele, etc.

Size: 450\*450\*15mm, 600\*600\*15mm, 900\*900\*15mm, etc.


Grade: AB/ABC

Construction: Multilayer-Plywood core

Finish: Wire Brushed / Smooth

Installation: TG





5601



5807



5821



5827



5835



PH-01



PH-02



PH-03



PH-04



PH-05



PH-06



PH-07



PH-08



PH-09




PH-10





PH-11



PH-12



PH-13



PH-14



PH-15



PH-16



PH-17



PH-18



PH-19



PH-20



PH-21



PH-22



PH-23



PH-24



PH-25